

54321

D

C

B

A


ROHM

BD9C601EFJ EVALUATION BOARD

Revision History

(preliminary)

REVISION	DATE	COMMENT
Rev 00	2014-01-06	Initial release
	2014-02-12	Change P/N of U1 to BD9C601EFJ
	2014-04-23	Change P/N of D2 to SMAJ16A



ROHM Semiconductor USA

Title

TITLE & REVISION HISTORY

Size B

Document Number
xxxx

Engineer:
VDC

Drawn By:
PTH VDC


Rev
00

Date: Wednesday, April 23, 2014

Sheet 1 of 3

PAGE	PAGE CONTENT
01	TITLE & REV. HISTORY
02	PAGE INDEX
03	BD9C601EFJEVK-101

<div><div><div>ROHM</div><div>SEMICONDUCTOR</div></div><div>ROHM Semiconductor USA</div></div>				
Title PAGE INDEX				
Size B	Document Number xxxxx	Engineer: VDC	Drawn By: PTH VDC	Rev 00
Date:	Wednesday, April 23, 2014	Sheet	2 of 3	



Note (D1,D3): If a large inductive load is connected that might introduce back electromotive force at the start up and output, please insert protection diodes D1, D3 and remove solder short at ZX1.



ROHM Semiconductor USA

Title BD9C601EFJEVK-101				
Size B	Document Number xxxxx	Engineer: VDC	Drawn By: PTH VDC	Rev 00
Date:	Wednesday, April 23, 2014		Sheet	3 of 3